

susan coromel, director
christopher l. harris, scenic designer
bobby brewer-wallin, costume designer

Memo(randum)-F2020.lw6
rachel kinsman steck, lighting designer
christian sidwell, lighting director
robin st. julien, head electrician

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Ad	VWFcP
(1)	PIPE 23-31C	18	Source 4 36deg 575w	FRONT WASH A			A
(2)	PIPE 22-30C	16	Source 4 36deg 575w	FRONT WASH A			B
(3)	PIPE D	14	Source 4 36deg 575w	FRONT WASH A			C
(4)	PIPE D	12	Source 4 36deg 575w	FRONT WASH A			D
(5)	PIPE D	10	Source 4 36deg 575w	FRONT WASH A			E
(6)	PIPE D	8	Source 4 36deg 575w	FRONT WASH A			F
(7)	PIPE D	6	Source 4 36deg 575w	FRONT WASH A			G
(8)	PIPE D	4	Source 4 36deg 575w	FRONT WASH A			H
(9)	PIPE D	2	Source 4 36deg 575w	FRONT WASH A			I
(11)	PIPE 23-31B	17	Source 4 36deg 575w	FRONT WASH B			A
(12)	PIPE D	15	Source 4 36deg 575w	FRONT WASH B			B
(13)	PIPE D	13	Source 4 36deg 575w	FRONT WASH B			C
(14)	PIPE D	11	Source 4 36deg 575w	FRONT WASH B			D
(15)	PIPE D	9	Source 4 36deg 575w	FRONT WASH B			E
(16)	PIPE D	7	Source 4 36deg 575w	FRONT WASH B			F
(17)	PIPE D	5	Source 4 36deg 575w	FRONT WASH B			G
(18)	PIPE D	3	Source 4 36deg 575w	FRONT WASH B			H
(19)	PIPE D	1	Source 4 36deg 575w	FRONT WASH B			I
(21)	PIPE C	2	Colortran 8" Fresnel+10" Barn Door 2kW	DOWN LIGHT A			B
(22)	PIPE C	4	Colortran 8" Fresnel+0 2kW	DOWN LIGHT A			E

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Ad	VWFcP
(23)	PIPE C	2	Colortran 8" Fresnel+0 2kW	DOWN LIGHT A		H	
(31)	PIPE C	1	Colortran 8" Fresnel+10" Barn Door 2kW	DOWN LIGHT B		B	
(32)	PIPE C	3	Colortran 8" Fresnel+0 2kW	DOWN LIGHT B		E	
(33)	PIPE C	1	Colortran 8" Fresnel+0 2kW	DOWN LIGHT B		H	
(41)	PIPE 22- 30C	1	Etc Source 4 LEDLS 50° 117w	DOWN COLOR WASH		B	
(42)	PIPE 21- 29A	1	Etc Source 4 LEDLS 50° 117w	DOWN COLOR WASH		E	
(43)	PIPE 19- 27A	1	Etc Source 4 LEDLS 50° 117w	DOWN COLOR WASH		H	
(51)	PIPE 24- 32A	3	Source 4 36deg 575w	DIAG FRONT <		B	
(52)	PIPE C(3)	5	Source 4 36deg 575w	DIAG FRONT <		E	
(53)	PIPE C(3)	1	Source 4 36deg 575w	DIAG FRONT <		H	
(61)	PIPE C(3)	3	Source 4 36deg 575w	DIAG FRONT >		B	
(62)	PIPE C(2)	4	Source 4 36deg 575w	DIAG FRONT >		E	
(63)	PIPE 18- 26A	3	Source 4 36deg 575w	DIAG FRONT >		H	
(71)	PIPE 8-16A	1	Source 4 36deg 575w	DIAG BACK <		B	
(72)	PIPE A(2)	4	Source 4 36deg 575w	DIAG BACK <		E	
(73)	PIPE A(2)	2	Source 4 36deg 575w	DIAG BACK <		H	
(81)	PIPE A(2)	3	Source 4 36deg 575w	DIAG BACK >		B	
(82)	PIPE A(2)	1	Source 4 36deg 575w	DIAG BACK >		E	
(83)	PIPE 2-10A	1	Source 4 36deg 575w	DIAG BACK >		H	
(95)	PIPE 6-14A	1	Source 4 19deg 575w	DOOR LIGHT		D5	
(96)	PIPE 5-13A	2	Source 4 19deg 575w	DOOR LIGHT		D6	

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Ad	VWFcP
(97)	PIPE 3-11A	1	Source 4 19deg 575w	DOOR LIGHT			D7
(101)	PIPE 23-31D	1	Source 4 19deg 575w	BOX LIGHT			1
(102)	PIPE 23-31A	1	Source 4 19deg 575w	BOX LIGHT			2
(103)	PIPE C(3)	6	Source 4 19deg 575w	BOX LIGHT			3
(104)	PIPE C(3)	4	Source 4 19deg 575w	BOX LIGHT			4
(105)	PIPE C(3)	2	Source 4 19deg 575w	BOX LIGHT			5
(106)	PIPE C(2)	5	Source 4 19deg 575w	BOX LIGHT			6
(107)	PIPE C(2)	3	Source 4 19deg 575w	BOX LIGHT			7
(108)	PIPE C(2)	2	Source 4 19deg 575w	BOX LIGHT			8
(109)	PIPE C(2)	1	Source 4 19deg 575w	BOX LIGHT			9
(110)	PIPE 18-26A	2	Source 4 19deg 575w	BOX LIGHT			10
(111)	PIPE 18-26A	1	Source 4 19deg 575w	BOX LIGHT			11
(112)	PIPE 2-10A	2	Source 4 19deg 575w	BOX LIGHT			12
(113)	PIPE A(1)	1	Source 4 19deg 575w	BOX LIGHT			13
(114)	PIPE A(1)	2	Source 4 19deg 575w	BOX LIGHT			14
(115)	PIPE A(1)	3	Source 4 19deg 575w	BOX LIGHT			15
(116)	PIPE A(1)	5	Source 4 19deg 575w	BOX LIGHT			16
(117)	PIPE 5-13A	1	Source 4 19deg 575w	BOX LIGHT			17
(118)	PIPE A(3)	2	Source 4 19deg 575w	BOX LIGHT			18
(119)	PIPE A(3)	4	Source 4 19deg 575w	BOX LIGHT			19
(120)	PIPE A(3)	5	Source 4 19deg 575w	BOX LIGHT			20
(121)	PIPE 7-15A	6	Source 4 19deg 575w	BOX LIGHT			21
(122)	PIPE 8-16A	2	Source 4 19deg 575w	BOX LIGHT			22

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Ad	VWFcP
(123)	PIPE 24-32A	1	Source 4 19deg 575w	BOX LIGHT			23
(124)	PIPE 24-32A	2	Source 4 19deg 575w	BOX LIGHT			
(131)	PIPE 39-47A	1	Source 4 26deg 575w	FRONT WASH (45°) A			A
(132)	PIPE E(2)	8	Source 4 26deg 575w	FRONT WASH (45°) A			B
(133)	PIPE E(2)	6	Source 4 26deg 575w	FRONT WASH (45°) A			C
(134)	PIPE E(2)	3	Source 4 26deg 575w	FRONT WASH (45°) A			D
(135)	PIPE 37-45A	1	Source 4 26deg 575w	FRONT WASH (45°) A			E
(136)	PIPE E(1)	9	Source 4 26deg 575w	FRONT WASH (45°) A			F
(137)	PIPE E(1)	6	Source 4 26deg 575w	FRONT WASH (45°) A			G
(138)	PIPE E(1)	4	Source 4 26deg 575w	FRONT WASH (45°) A			H
(139)	PIPE E(1)	1	Source 4 26deg 575w	FRONT WASH (45°) A			I
(141)	PIPE E(2)	10	Source 4 26deg 575w	FRONT WASH (45°) B			A
(142)	PIPE E(2)	7	Source 4 26deg 575w	FRONT WASH (45°) B			B
(143)	PIPE E(2)	5	Source 4 26deg 575w	FRONT WASH (45°) B			C
(144)	PIPE E(2)	2	Source 4 26deg 575w	FRONT WASH (45°) B			D
(145)	PIPE 36-44A	1	Source 4 26deg 575w	FRONT WASH (45°) B			E
(146)	PIPE E(1)	8	Source 4 26deg 575w	FRONT WASH (45°) B			F

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Ad	VWFcP
(147)	PIPE E(1)	5	Source 4 26deg 575w	FRONT WASH (45°) B			G
(148)	PIPE E(1)	3	Source 4 26deg 575w	FRONT WASH (45°) B			H
(149)	PIPE E(1)	1	Source 4 26deg 575w	FRONT WASH (45°) B			I
(151)	CATWALK EAST	1.0	L&E SKY CYC 2kW	COLOR WASH A			B
(152)	CATWALK EAST	2.0	L&E SKY CYC 2kW	COLOR WASH A			E
(153)	CATWALK EAST	3.0	L&E SKY CYC 2kW	COLOR WASH A			H
(161)	CATWALK EAST	1.0	L&E SKY CYC 2kW	COLOR WASH B			B
(162)	CATWALK EAST	2.0	L&E SKY CYC 2kW	COLOR WASH B			E
(163)	CATWALK EAST	3.0	L&E SKY CYC 2kW	COLOR WASH B			H
(171)	CATWALK EAST	1.0	L&E SKY CYC 2kW	COLOR WASH C			B
(172)	CATWALK EAST	2.0	L&E SKY CYC 2kW	COLOR WASH C			E
(173)	CATWALK EAST	3.0	L&E SKY CYC 2kW	COLOR WASH C			H
(181)	SET	1	EconoLED SMD 5050 (RGB) 36w	WALL WASH	CC: RGB		
	"	2	"	"	"		
	"	3	"	"	"		
(182)	SET	4	EconoLED SMD 5050 (RGB) 36w	WALL WASH	CC: RGB		

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Ad	VWFcP
(183)	SET	5	EconoLED SMD 5050 (RGB) 36w	WALL WASH	CC: RGB		
	"	6	"	"	"		
	"	7	"	"	"		
(184)	SET	8	EconoLED SMD 5050 (RGB) 36w	WALL WASH	CC: RGB		
(185)	SET	9	EconoLED SMD 5050 (RGB) 36w	WALL WASH	CC: RGB		
	"	10	"	"	"		
	"	11	"	"	"		
(186)	SET	12	EconoLED SMD 5050 (RGB) 36w	WALL WASH	CC: RGB		
(191)	PIPE 38- 46B	1	Etc Source 4 LEDLS 50° 117w	FRONT CC	CC		B
(192)	PIPE 37- 45A	2	Etc Source 4 LEDLS 50° 117w	FRONT CC	CC		E
(193)	PIPE 35- 43B	1	Etc Source 4 LEDLS 50° 117w	FRONT CC	CC		H
(201)	PIPE 38- 46A	1	Source 4 19deg 575w	FRONT MIRROR	X119		
	"	1a	I-Cue				
(202)	PIPE 36- 44A	2	Source 4 19deg 575w	FRONT MIRROR	X119		
	"	2a	I-Cue				
(203)	PIPE 35- 43A	1	Source 4 19deg 575w	FRONT MIRROR	X119		
	"	1a	I-Cue				
(211)	SR ROVER 1	1	Source 4 19deg 575w	DOOR LIGHT <			
(212)	WALL S1	212	Source 4 19deg 575w	DOOR LIGHT >			

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Ad	VWFcP
(225)	PIPE 34-42A	1	S4 PAR MFL 575w	HOUSE LIGHT	N/C		
	PIPE 39-47B	"	"	"	"		
	PIPE E	"	"	"	"		
	"	2	"	"	"		
	"	3	"	"	"		
	"	4	"	"	"		
	"	6	"	"	"		
	"	7	"	"	"		
	PIPE E(1)	2	"	"	"		
	"	7	"	"	"		
	PIPE E(2)	1	"	"	"		
	"	4	"	"	"		
	"	9	"	"	"		
	PIPE F	5	"	"	"		
	PIPE 50-58A	1	"	"	"		
	PIPE 51-59A	"	"	"	"		
	PIPE 52-60A	"	"	"	"		
	PIPE 53-61A	"	"	"	"		
	PIPE 54-62A	"	"	"	"		
	PIPE 54-62B	"	"	"	"		
PIPE 55-63A	"	"	"	"			
PIPE 66A	"	"	"	"			

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Ad	VWFcP
(225)	PIPE 67A	1	S4 PAR MFL 575w	HOUSE LIGHT	N/C		
	PIPE 68A	"	"	"	"		
	PIPE 69A	"	"	"	"		
	PIPE 70A	"	"	"	"		
	PIPE 70B	"	"	"	"		
	PIPE 71A	"	"	"	"		

WORKING

susan coromel, director
 christopher l. harris, scenic designer
 bobby brewer-wallin, costume designer

Memo(randum)-F2020.lw6
 rachel kinsman steck, lighting designer
 christian sidwell, lighting director
 robin st. julien, head electrician

TABLE OF CONTENTS

PIPE 2-10A	1	PIPE 37-45A	7
PIPE 3-11A	1	PIPE 38-46A	8
PIPE 5-13A	1	PIPE 38-46B	8
PIPE 6-14A	1	PIPE 39-47A	8
PIPE 7-15A	1	PIPE 39-47B	8
PIPE 8-16A	1	PIPE E	8
PIPE A(1)	2	PIPE E(1)	9
PIPE A(2)	2	PIPE E(2)	10
PIPE A(3)	2	PIPE F	10
PIPE 18-26A	2	PIPE 50-58A	10
PIPE 19-27A	3	PIPE 51-59A	10
PIPE 21-29A	3	PIPE 52-60A	11
PIPE 22-30C	3	PIPE 53-61A	11
PIPE 23-31A	3	PIPE 54-62A	11
PIPE 23-31B	3	PIPE 54-62B	11
PIPE 23-31C	3	PIPE 55-63A	11
PIPE 23-31D	4	PIPE 66A	11
PIPE 24-32A	4	PIPE 67A	11
PIPE C	4	PIPE 68A	11
PIPE C(2)	5	PIPE 69A	12
PIPE C(3)	5	PIPE 70A	12
PIPE D	6	PIPE 70B	12
PIPE 34-42A	7	PIPE 71A	12
PIPE 35-43A	7	CATWALK EAST	13
PIPE 35-43B	7	SR ROVER 1	13
PIPE 36-44A	7	WALL S1	13
		SET	14

susan coromel, director
christopher l. harris, scenic designer
bobby brewer-wallin, costume designer

Memo(randum)-F2020.lw6
rachel kinsman steck, lighting designer
christian sidwell, lighting director
robin st. julien, head electrician

PIPE 2-10A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DIAG BACK >	Source 4 36deg	575w		(83)	
2	BOX LIGHT	Source 4 19deg	575w		(112)	

PIPE 3-11A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DOOR LIGHT	Source 4 19deg	575w		(97)	

PIPE 5-13A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	BOX LIGHT	Source 4 19deg	575w		(117)	
2	DOOR LIGHT	Source 4 19deg	575w		(96)	

PIPE 6-14A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DOOR LIGHT	Source 4 19deg	575w		(95)	

PIPE 7-15A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
6	BOX LIGHT	Source 4 19deg	575w		(121)	

PIPE 8-16A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DIAG BACK <	Source 4 36deg	575w		(71)	
2	BOX LIGHT	Source 4 19deg	575w		(122)	

PIPE A(1)

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	BOX LIGHT	Source 4 19deg	575w		(113)	
2	BOX LIGHT	Source 4 19deg	575w		(114)	
3	BOX LIGHT	Source 4 19deg	575w		(115)	
5	BOX LIGHT	Source 4 19deg	575w		(116)	

PIPE A(2)

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DIAG BACK >	Source 4 36deg	575w		(82)	
2	DIAG BACK <	Source 4 36deg	575w		(73)	
3	DIAG BACK >	Source 4 36deg	575w		(81)	
4	DIAG BACK <	Source 4 36deg	575w		(72)	

PIPE A(3)

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
2	BOX LIGHT	Source 4 19deg	575w		(118)	
4	BOX LIGHT	Source 4 19deg	575w		(119)	
5	BOX LIGHT	Source 4 19deg	575w		(120)	

PIPE 18-26A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	BOX LIGHT	Source 4 19deg	575w		(111)	
2	BOX LIGHT	Source 4 19deg	575w		(110)	
3	DIAG FRONT	Source 4 36deg	575w		(63)	
	>					

PIPE 19-27A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DOWN COLOR WASH	Etc Source 4 LEDLS 50°	117w		(43)	

PIPE 21-29A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DOWN COLOR WASH	Etc Source 4 LEDLS 50°	117w		(42)	

PIPE 22-30C

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DOWN COLOR WASH	Etc Source 4 LEDLS 50°	117w		(41)	
16	FRONT WASH A	Source 4 36deg	575w		(2)	

PIPE 23-31A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	BOX LIGHT	Source 4 19deg	575w		(102)	

PIPE 23-31B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
17	FRONT WASH B	Source 4 36deg	575w		(11)	

PIPE 23-31C

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
18	FRONT WASH A	Source 4 36deg	575w		(1)	

PIPE 23-31D

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	BOX LIGHT	Source 4 19deg	575w		(101)	

PIPE 24-32A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	BOX LIGHT	Source 4 19deg	575w		(123)	
2	BOX LIGHT	Source 4 19deg	575w		(124)	
3	DIAG FRONT	Source 4 36deg	575w		(51)	
	<					

PIPE C

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DOWN LIGHT B	Colortran 8" Fresnel+10" Barn Door	2kW		(31)	
1	DOWN LIGHT B	Colortran 8" Fresnel+0	2kW		(33)	
2	DOWN LIGHT A	Colortran 8" Fresnel+0	2kW		(23)	
2	DOWN LIGHT A	Colortran 8" Fresnel+10" Barn Door	2kW		(21)	
3	DOWN LIGHT B	Colortran 8" Fresnel+0	2kW		(32)	
4	DOWN LIGHT A	Colortran 8" Fresnel+0	2kW		(22)	

PIPE C(2)

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	BOX LIGHT	Source 4 19deg	575w		(109)	
2	BOX LIGHT	Source 4 19deg	575w		(108)	
3	BOX LIGHT	Source 4 19deg	575w		(107)	
4	DIAG FRONT >	Source 4 36deg	575w		(62)	
5	BOX LIGHT	Source 4 19deg	575w		(106)	

PIPE C(3)

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DIAG FRONT <	Source 4 36deg	575w		(53)	
2	BOX LIGHT	Source 4 19deg	575w		(105)	
3	DIAG FRONT >	Source 4 36deg	575w		(61)	
4	BOX LIGHT	Source 4 19deg	575w		(104)	
5	DIAG FRONT <	Source 4 36deg	575w		(52)	
6	BOX LIGHT	Source 4 19deg	575w		(103)	

PIPE D

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	FRONT WASH B	Source 4 36deg	575w		(19)	
2	FRONT WASH A	Source 4 36deg	575w		(9)	
3	FRONT WASH B	Source 4 36deg	575w		(18)	
4	FRONT WASH A	Source 4 36deg	575w		(8)	
5	FRONT WASH B	Source 4 36deg	575w		(17)	
6	FRONT WASH A	Source 4 36deg	575w		(7)	
7	FRONT WASH B	Source 4 36deg	575w		(16)	
8	FRONT WASH A	Source 4 36deg	575w		(6)	
9	FRONT WASH B	Source 4 36deg	575w		(15)	
10	FRONT WASH A	Source 4 36deg	575w		(5)	
11	FRONT WASH B	Source 4 36deg	575w		(14)	
12	FRONT WASH A	Source 4 36deg	575w		(4)	
13	FRONT WASH B	Source 4 36deg	575w		(13)	
14	FRONT WASH A	Source 4 36deg	575w		(3)	
15	FRONT WASH B	Source 4 36deg	575w		(12)	

PIPE 34-42A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 35-43A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	FRONT MIRROR	Source 4 19deg	575w	X119	(203)	
1a		I-Cue			(203)	

PIPE 35-43B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	FRONT CC	Etc Source 4 LEDLS 50°	117w	CC	(193)	

PIPE 36-44A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	FRONT WASH (45°) B	Source 4 26deg	575w		(145)	
2	FRONT MIRROR	Source 4 19deg	575w	X119	(202)	
2a		I-Cue			(202)	

PIPE 37-45A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	FRONT WASH (45°) A	Source 4 26deg	575w		(135)	
2	FRONT CC	Etc Source 4 LEDLS 50°	117w	CC	(192)	

PIPE 38-46A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	FRONT MIRROR	Source 4 19deg	575w	X119	(201)	
1a		I-Cue			(201)	

PIPE 38-46B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	FRONT CC	Etc Source 4 LEDLS 50°	117w	CC	(191)	

PIPE 39-47A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	FRONT WASH (45°) A	Source 4 26deg	575w		(131)	

PIPE 39-47B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE E

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
2	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
3	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
4	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
6	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
7	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE E(1)

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	FRONT WASH (45°) A	Source 4 26deg	575w		(139)	
1	FRONT WASH (45°) B	Source 4 26deg	575w		(149)	
2	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
3	FRONT WASH (45°) B	Source 4 26deg	575w		(148)	
4	FRONT WASH (45°) A	Source 4 26deg	575w		(138)	
5	FRONT WASH (45°) B	Source 4 26deg	575w		(147)	
6	FRONT WASH (45°) A	Source 4 26deg	575w		(137)	
7	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
8	FRONT WASH (45°) B	Source 4 26deg	575w		(146)	
9	FRONT WASH (45°) A	Source 4 26deg	575w		(136)	

PIPE E(2)

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
2	FRONT WASH (45°) B	Source 4 26deg	575w		(144)	
3	FRONT WASH (45°) A	Source 4 26deg	575w		(134)	
4	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
5	FRONT WASH (45°) B	Source 4 26deg	575w		(143)	
6	FRONT WASH (45°) A	Source 4 26deg	575w		(133)	
7	FRONT WASH (45°) B	Source 4 26deg	575w		(142)	
8	FRONT WASH (45°) A	Source 4 26deg	575w		(132)	
9	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	
10	FRONT WASH (45°) B	Source 4 26deg	575w		(141)	

PIPE F

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
5	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 50-58A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 51-59A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 52-60A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 53-61A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 54-62A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 54-62B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 55-63A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 66A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 67A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 68A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 69A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 70A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 70B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

PIPE 71A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	HOUSE LIGHT	S4 PAR MFL	575w	N/C	(225)	

CATWALK EAST

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1.0	COLOR WASH B	L&E SKY CYC	2kW		(161)	
1.0	COLOR WASH C	L&E SKY CYC	2kW		(171)	
1.0	COLOR WASH A	L&E SKY CYC	2kW		(151)	

2.0	COLOR WASH B	L&E SKY CYC	2kW		(162)	
2.0	COLOR WASH C	L&E SKY CYC	2kW		(172)	
2.0	COLOR WASH A	L&E SKY CYC	2kW		(152)	

3.0	COLOR WASH B	L&E SKY CYC	2kW		(163)	
3.0	COLOR WASH C	L&E SKY CYC	2kW		(173)	
3.0	COLOR WASH A	L&E SKY CYC	2kW		(153)	

SR ROVER 1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	DOOR LIGHT <	Source 4 19deg	575w		(211)	

WALL S1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
21	DOOR LIGHT 2 >	Source 4 19deg	575w		(212)	

SET

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Addr
1	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(181)	
2	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(181)	
3	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(181)	
4	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(182)	
5	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(183)	
6	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(183)	
7	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(183)	
8	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(184)	
9	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(185)	
10	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(185)	
11	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(185)	
12	WALL WASH	EconoLED SMD 5050 (RGB)	36w	CC: RGB	(186)	